

Borough of Rumson BOROUGH HALL 80 East River Road Rumson, New Jersey 07760-1689 rumsonnj.gov

APPLICATION TO THE ZONING BOARD OF ADJUSTMENT

Stephen & Nadia Harhen	c/o maikins@aikinslaw.com	c/o 732-280-26	06	
Name of Applicant	Email	Phone Num	Phone Number	
9 Circle Drive		13	15	
Property Address		Block	Lot	
Same as above				
Name of Owner (IF NOT APPLICANT) A corporation, S-Corp, LLC or LLP M	UST be represented by a licensed attor			
c/o Mark R. Aikins, Esquire, 3350 Ro	ute 138, Building 1, Suite 113, Wall,	NJ 07719; Telephone: 732	-280-2606	
Applicant's Attorney and contact inform	ation (if any)			
Robert W. Adler & Associates, 1049 I	Broadway, West Long Branch, New	Jersey 07764 [.] Telephone.	732-571-1010	
Applicant's Architect and contact inform	ation (if any)		102-011-1010	
Not Applicable				
Applicant's Engineer and contact inform	ation (if any)			
Marto		January 16, 202	5	
Signature of Applicant or Agent		Date		
Mark R. Aikins, Attorney for App	licant/Owner			
Proposed plan Renovations and ad	dditions to an existing two-story s	ingle family residence		
Variances requested PLEAS SE	E ADDENDUM TTACHED HERET	O & MADE A PART HERE	OF	

ADDENDUM TO APPLICATION BLOCK 13, LOT 15 (9 CIRCLE DRIVE) STEPHEN & NADIA HARHEN BOROUGH OF RUMSON

Maximum Building Coverage: 3,529 sq. ft. required, whereas 3,578 sq. ft. exists and
 4,192 sq. ft. is proposed.

2. When floor area exceeds 85% of the maximum permitted, the minimum side yard setback for the principal dwelling is increased from 20 ft. to 22 ft. The house is currently at 21.452 ft. which conformed previously to 20 ft. but does not comply now that the side yard setback is 22 ft.

 Minimum Side Yard Setback: 20,00 ft. required, whereas 19.83 ft. exists (masonry porch) and 19.83 ft. proposed (masonry porch) non-conforming existing condition.

4. Minimum side yard setback

 (Accessory Building):
 15.00 ft. required, whereas 3.75 ft. exists and 5.75 ft. is proposed (non-conforming existing condition).
 (Shed):
 15.00 ft. required, whereas 10.41 ft. exists and 10.41 ft. is proposed (non-conforming existing condition).



Borough of Rumson

BOROUGH HALL 80 East River Road Rumson, New Jersey 07760-1689 rumsonnj.gov Marie DeSoucey Land Use & Development Official

office 732.842.3300 fax 732.219.0714

mdesoucey@rumsonnj.gov

Denial Memorandum

December 4, 2024 Stephen & Nadia Harher			
9 Circle Drive Rumson NI 07760	Block	Lot	Zone R-3
	Stephen & Nadia Harher	Stephen & Nadia Harhen / Robert W. Ad 9 Circle Drive Block	Stephen & Nadia Harhen / Robert W. Adler & Assoc.9 Circle DriveBlockLot

Applicant's Request to:

Construct a new two-story addition and new open front porch to the front of the existing dwelling on a conforming, interior lot.

Was denied for the following non-conformities:

Borough of Rumson Ordinances/Development Regulations Schedule 5-1 Zoning District Regulations, Schedule 5-4 Maximum Permitted Lot and Building Coverage and 22-7.8 Accessory Structures

- 1. (Sched 5-4) Building Coverage of 4,192 SF, whereas 3,578 SF is existing and 3,529 SF is permitted. (New Variance)
- 2. (Sched 5-1, note 16) When the FA exceeds 85% of the maximum permitted, the minimum SYSB for the principal dwelling is increased from 20' to 22'. The house is currently at 21.42', which conformed previously to 20' but does not comply now that the SYSB is 22'. (New Variance)
- 3. (22-7.7f) <u>Raised Deck</u>: There is currently an open, raised deck attached to the principal dwelling at 19.83' from the property line, whereas 20' was required. The new setback is 22' and the raised deck will require a variance. (Existing nonconformity Intensified)
- 4. (Sched 5-1) <u>Shed</u>: Minimum SYSB & RYSB of 3.75' and 10.41', respectively, whereas 15' is required for both. (Existing nonconformity Unchanged)
- 5. Additional information needed:
 - A proposed Site Plan was not included with the application.
- 6. Zoning Chart Information requiring correction:
 - Required side yard setbacks of 22' / 42'
 - Label of Proposed Calculations, sheet1 of 8

The Land Use Permit review is based on:

- Architectural drawings prepared, signed & sealed by Robert W. Adler, Architect, dated November 8, 2024, no revisions, consisting of eight (8) sheets.
- Copy of Topographical Survey Map of Lot 15 in Block 13, prepared by Yorkanis & White, Inc., signed by John T. Luts, PLS, dated October 9, 2023, no revisions, one sheet.

If you have any questions or require additional information, please do not hesitate to contact me.

Marie DeSoucey

Land Use & Development Official

Cc: Thomas Rogers, Borough Clerk/Administrator David M. Marks, P.E., C.M.E., Borough Engineer Sabine O'Connor, Technical Assistant



Borough of Rumson

RECEIVED

NOV 2 7 Marie DeSoucey Land Use & Development Official

BOROUGH HALL 80 East River Road Rumson, New Jersey 07760-1689 ING Office 732.842.3022 mdesoucey@rumsonnj.gov rumsonnj.gov

LAND USE & DEVELOPMENT PERMIT Check# 14633

Date: 11/27/24

Fee: \$

ALL RESIDENTIAL APPLICATIONS \$50

ALL COMMERCIAL APPLICATIONS \$100

Checks shall be made payable to: Borough of Rumson.

With this application you are required to submit one (1) copy of a current survey/plot plan/site plan and one (1) set of architectural plans. Surveys must show the existing conditions and exact location of physical features including metes and bounds, drainage, waterways, specific utility locations and easements, all drawn to scale. All surveys must be prepared by a land surveyor (signed/sealed). Architectural plans must show Zoning data existing and proposed setbacks (Schedule 5-1), Building Height (Schedule 5-2), Lot Coverage and Building Coverage (Schedule 5-4) and Floor Area (Schedule 5-3).

ALL APPLICATIONS MUST INCLUDE A PLAN(S), SURVEY AND/OR SKETCH. SUBMIT ALL PDF'S TO MDESOUCEY@RUMSONNJ.GOV UPON SUBMISSION OF THE LAND USE & DEVELOPMENT PERMIT.

PLEASE CONFIRM A DIGITAL COPY HAS BEEN PROVIDED UPON SUBMISSION.

ALL FLOOD ZONE APPLICATIONS MUST BE ACCOMPANIED WITH AN ELEVATION CERTIFICATE

Pools require a fence. Please indicate type, height, and area of fence and location of filter/heater. Air Conditioner Units: Please indicate proposed location & provide specifications which show the height. Generators: Please indicate proposed location & provide specifications which show that the unit has a Critical Muffler & Sound Attenuation Enclosure. These must be screened from neighboring properties and the street.

(Please Print Clearly)

1.	Location of property for which Permit is desired:
	Street Address: 9 Circle Drive Block: 13 Lot 15 Zone: R-3
2.	Applicant's Name: Robert W. Adler & Associates Address: 1049 Broadway West Long Branch, NJ 07764
	Email radler@rwadlerassociates.com Tel. 732-571-1010
3.	Property Owner's Name: Stephen & Nadia Harhen Address: 9 Circle Drive Rumson, NJ 07760
	Email nadiasookdeo@gmail.com Tel. (201) 926-1348
4.	Description of Work: THE PROJECT SCOPE CONSISTS OF THE RENOVATION AND ADDITIONS TO AN EXISTING
	TWO-STORY SINGLE-FAMILY RESIDENCE AS INDICATED ON THESE DRAWINGS. THERE IS A ONE-STORY,
	WOOD-FRAMED FIRST FLOOR FOYER ADDITION WITH A MASONRY FRONT COVERED PORCH. THERE IS A
	TWO-STORY ADDITION WHICH EXPANDS THE EXISTING TWO-CAR GARAGE TO A THREE-CAR GARAGE AND
	WORKSHOP. THE SECOND FLOOR ABOVE THE GARAGE EXPANDS THE EXISTING BEDROOM #4 AND A PROPOSED STUDY. THE EXISTING ONE-STORY, WOOD-FRAMED DEN IN THE REAR SHALL BE ALTERED FOR A NEW LOWER FLOOR ELEVATION. THE MAJORITY OF THE EXISTING FOUNDATION, FIRST FLOOR FRAMING, SECOND FLOOR FRAMING, AND EXTERIOR WALLS ARE TO REMAIN AND BE ADJUSTED AS REQUIRED TO ACCOMMODATE THE PROPOSED NEW WORK.

Has the above premises been the subject of any prior application to the Planning Board/ Zoning Board of Adjustment?

Yes ____No X If yes, state date:_____ (Submit a copy of the Resolution)

Board:

Resolution # (if any):

Applicant certifies that all statements and information made and provided as part of this application are true to the best of his/her knowledge, information and belief. Applicant further states that all pertinent municipal ordinances, and all conditions, regulations and requirements of site plan approval, variances and other permits granted with respect to said property, shall be complied with. All Zoning Permits will be granted or denied within ten (10) business days from the date of complete application.


/		11/27/24
Signature of Applica		Date
Robert W. Ad		
Print Applicant's Na	ame	
Signature of Owner	r (if different than applicant)	Date
Print Owner's Name	e (if different than applicant)	
	FOR OFFICE USE	
Approved	Denied V SEE Deni	al Memo
COMMENTS:	Max Bldg Coverage Exceeded, 1- and accessory sudeyard se	rincipal
	and accessory suderand se	Abacks


Appeals of the Office's determination must be filed within 20 days of the date of issuance to the Planning/Zoning Board as provided by the New Jersey Municipal Land Use Law. *This limitation is not imposed if the applicant is seeking a variance, site plan, or subdivisions.* The Board reserves the right to deem additional information and/or variances required. Approved permits are valid for one (1) year, and may be extended by action of the Zoning Board.


Marie DeSoucey Land Use & Development Official

	HEN RESI ED RENOVATION 9 CIRCLE DRIVE RUMSON, NJ BLOCK : 13 LOT: 15		R-3 HEIGHT: LOT: BUILDIN
PROPOSED RENOVATION AND ADDITION TO AN EXISTING TWO (2) -STORY, WOOD-F <u>HOUSE (EXIST. TO REMAND</u> <u>HOUSE (RENOV.)</u> <u>HOUSE (CARAGE TO HOLEE)</u> <u>HOU</u> IST FLOOR I,194.00 S.F. I,111.00 S.F. 31.00 S.F. 72. 2ND FLOOR I,262.00 S.F. 441.00 S.F. 346	E INTER GARAGE INTO A GARAGE INTER FRONT COV. PORCH INTER DO S.F. 554.00 S.F. 447.00 S.F. 285.00 S.F. 00 S.F. 554.00 S.F. 447.00 S.F. 285.00 S.F. 00 S.F. 554.00 S.F. 447.00 S.F. 285.00 S.F. ENDER DO S.F. 554.00 S.F. 447.00 S.F. 285.00 S.F. ENDER DO S.F. 554.00 S.F. 447.00 S.F. 285.00 S.F. THE PROJECT SCOPE CONSISTS OF THE RENOVATION AND ADDITIONS TO AN EXISTING TWO-STORY SINGLE-FAMILY RESIDENCE AS INDICATED ON THESE DRAWINGS. THERE IS A ONE-STORY, WOOD-FRAMED RISET FLOOR FORE ADDITION WITH A MASONRY FRONT COVERED PORCH, THERE IS A TWO-STORY ADDITION WHICH EXPANDS THE EXISTING TWO-CAR GARAGE TO A THERE CAR GARAGE AND WORKSHOP, THE SECOND FLOOR ABOVE THE GARAGE EXPANDS THE EXISTING FEDROOM # 4 AND A PROPOSED STUDY. THE EXISTING ONE-STORY, WOOD-FRAMED PORCH, THERE EXISTING FOUNDATION, FIRST FLOOR FRAMING, SECOND FLOOR FRAMING, AND EXTERIOR WALLS ARE TO REMAIN AND BE ADJUSTED AS REQUIRED TO ACCOMMODATE THE PROPOSED NEW WORK. CONSULT WITH THE ARCHITECT AS REQUIRED.	LIDEX SHEET #1: ELCOR LOAD DESIGN NOTES LEG GROUP CONSTRUCTION TYPE NUMBER: SUMMARY SCORE OF WORK CONSTRUCTION TYPE NUMBER: SUMMARY SCORE OF WORK CONSTRUCTION TYPE NUMBER: SUMMARY SCORE OF WORK CONSTRUCTION TYPE NUMBER: SUMMARY SHEET #2: EXISTING FILCOR PLAN SHEET #3: EXISTING SECOND PLOOR PLAN SHEET #4: INST FILOOR PLAN SHEET #4: INST FILOOR PLAN SHEET #4: INST FILOOR PLAN SHEET #4: ERCOND PLOOR PLAN SHEET #4: ERCOND PLOOR PLAN SHEET #4: INST FILOOR PLAN SHEET #6: PROTFELEVATION CAT SIDE ELEVATION SHEET #7: ERCRELEVATION SHEET #7: INST SIDE STOCKPLE SHIT FENCE	
	TRANSFERENCE OF LIABILITY FOR THAT ELEMENT TO THE CONTRACTOR.	DESIGN LOADS 1ST FLOOR- 40 PSF LIVE LOAD, 20 PSF DEAD LOAD 2ND FLOOR- 40 PSF LIVE LOAD, 20 PSF DEAD LOAD ROOF- 20 PSF LIVE LOAD, 20 PSF DEAD LOAD NOTE: 20 PSF LIVE LOAD, 20 PSF DEAD LOAD NOTE: 20 PSF LIVE LOAD, 20 PSF DEAD LOAD NOTE: 20 PSF LIVE LOAD, 20 PSF DEAD LOAD NOTE: 20 PSF DEAD LOAD, 20 PSF DEAD LOAD NOTE: 20 PSF DEAD LOAD, 20 PSF DEAD LOAD NOTE: 20 PSF DEAD LOAD, 20 PSF DEAD LOAD, NOTE: POR ALL HORIZONITAL STRUCTURAL MEMBERS THE MAXIMUM ALLOWABLE 20 PSF DEAD LOAD, AT MID-SPAN, SHALL BE 35" MAXIMUM. USE GROUP: R5 IBC/ IRC 2021 NJ 20 PSF DEAD LOAD, AT MID-SPAN, SHALL BE 2021 NJ	I.F.A.R THE NL TAKEN 2. FRO NOT EX 3. ROC EXCLUE 4. UNR NOT EX 5. TREE EXCLUE MAXIM 6. WAL FROM


	ZONING SCHEDULE		
ZNE			
<u>REQUIRED</u> 37.00 FT. 30.00 FT. 2 1/2 STORY	<u>EXISTING</u> 28.08 FT.± 17.83 FT 2 STORY	<u>PROPOSED</u> 28.08 FT.± 17.83 FT. 2 STORY	
32,670,00 5,F 125,00 FT, 125,00 FT, 8,398,00 5,F, 3,529,00 5,F, 5,812,00 5,F, 85,00 FT, DIAMETER	33,125,00 S.F. 125,00 FT. 125,00 FT. 5,953,00 S.F. 3,578,00 S.F. *(OVER BY 49 S.F.) 4,420,00 S.F. 85,00 FT. DIAMETER	33,125,00 5,F. 125,00 FT. 125,00 FT. 6,783,00 5,F. 4,192,00 5,F. *** (OVER BY 663 5,F.) 5,261,00 5,F. 85,00 FT. DIAMETER	
60,00 FT, 20,00 FT, 20,00 FT, 40,00 FT,	89.75 FT. 21.42 FT. (HOUSE) 19.83 FT.* (MASONRY PORCH) 54.08 FT. (HOUSE/COV. PORCH) 52.50 FT. (PORCH/COV. PORCH) 121.67 FT. (HOUSE) 87.16 FT. (MASONRY PATIO)	74.91 FT. 21.42 FT. (HOUSE) 19.83 FT.* (MASONRY PORCH) 54.08 FT. (HOUSE/COV. PORCH) 52.50 FT. (PORCH/COV. PORCH) 121.67 FT. (HOUSE) 87.16 FT. (MASONRY PATIO)	
15.00 FT. 15.00 FT. 16.00 FT.	3.75 FT.* 10.41 FT.* N/ A	3.75 FT.* 10.41 FT.* N/A	
4 (O S.F., - REFER TO NOTE #2) 4 (529 S.F.) 5 REFER TO NOTE #3) TILEVERS (12 S.F.) TO REMAIN (238 S.F., - REFER TO N 5.F.) S.F.) RONT WALKWAY (15 S.F.)	EXISTING RO EXISTING SEC EXISTING OP EXISTING DR EXISTING SHE EXISTING A/ PROPOSED F PROPOSED F PROPOSED F PROPOSED F PROPOSED F	PE COVERED PORCH TO REMAIN (529 S.F.) POF EAVES TO REMAIN (57 S.F REFER TO NOTE #3) COND FLOOR CANTILEVERS TO REMAIN (12 S.F.) TEN PORCH/PATIO TO REMAIN TO REMAIN (207 S.F REFER TO NOTE #4) IVEWAY TO REMAIN (2,096 S.F.) ED (103 S.F.) C EQUIPMENT TO REMAIN (13 S.F.) FIRST FLOOR ADDITION (72 S.F.) GARAGE TO HOUSE RENOVATION (31 S.F.) GARAGE (447 S.F.) FRONT COVERED PORCH (44 S.F REFER TO NOTE #2) ROOF EAVES (38 S.F REFER TO NOTE #3) 2RIVEWAY (275 S.F.)	
5 S.F.) 5 S.F.) 1 (O S.F REFER TO NOTE #2) 1 (529 S.F.) 5 REFER TO NOTE #3)	EXISTING 2-0 EXISTING SID EXISTING RO EXISTING SE0 EXISTING SHI PROPOSED 0 PROPOSED 0 PROPOSED 0 PROPOSED 0	ERAGE INCLUDES: ST FLOOR TO REMAIN/RENOVATED (2,305 S.F.) CAR GARAGE TO BE RENOVATED (554 S.F.) PE COVERED PORCH TO REMAIN (529 S.F.) PF EAVES TO REMAIN (57 S.F REFER TO NOTE #3) COND FLOOR CANTILEVERS TO REMAIN (12 S.F.) ED (103 S.F.) FIRST FLOOR ADDITION (72 S.F.) GARAGE TO HOUSE RENOVATION (31 S.F.) GARAGE (447 S.F.) FRONT COVERED PORCH (44 S.F REFER TO NOTE #2) ROOF EAVES (38 S.F REFER TO NOTE #3)	
9 S.F.) 5 S.F.) 19 S.F.)	<u>EXISTING F.A.R. COVE</u> EXISTING FIR EXISTING 2-(EXISTING SEC PROPOSED F PROPOSED F		
WALLS, THE ATTACHED GARAGE HAS R THE RUMSON ZONING ORDINANCE OUND FLOOR AREA MAY BE EXCLUP (OO S,F,) = 230,00 S,F, MINUS P $(OO S,F,) = 241,00 S,F, MINUS P ON ZONING ORDINANCE SCHEDULE WAXIMUM LOT AND BUILDING COVER RUMSON ZONING ORDINANCE SCHE RUMSON ZONING ZONING ORDINANCE SCHE RUMSON ZONING ZONI$	EXTERIOR WALLS. THE F.A.R. CALCULATIONS BEEN INCLUDED IN THE F.A.R. CALCULATIONS. SCHEDULE 5-1, NOTE #9, THAT PORTION OF A FROM LOT AND BUILDING COVERAGE CALCUL PORCH AREA OF 77.00 S.F = 153.00 S.F = C ORCH AREA OF 285.00 S.F = 44.00 S.F (PR 5-1, NOTE #19, THE FIRST TWELVE INCHES OF T PAGE. DULE 5-1, NOTE #5, THAT PORTION OF UNROC PE FROM LOT COVERAGE CALCULATIONS. . MINUS OPEN PORCH/ PATIO AREA OF 929.00 S.F. MINUS TRELLIS LOCATED ON AN APPROVE S.F. MINUS TRELLIS AREA OF 77.00 S.F = 614.00 C	AFRONT COVERED PORCH WHICH DOES ATIONS. D.S.F. (EXISTING) DPOSED) HE EAVE WIDTH MAY BE PFED PORCHES AND DECKS WHICH DOES O.S.F = 238.00 S.F. (EXISTING) P.OO S.F = 207.00 S.F. (PROPOSED) ED PATIO, DECK OR TERRACE MAY ROUND FLOOR AREA FROM THE D.S.F. = 0 S.F. (EXISTING)	










EXISTING SECOND FLOOR PLAN $1/4^{11} = 1^{1} - 0^{11}$










WALL SYMBOLS LEGEND

EXISTING CONDITION TO REMAIN AS SHOWN 2" X 4" OR 2" X 6" WOOD STUDS AT 16" O.C. WITH 1/ 2" GYPSUM BOARD ON EACH INTERIOR SURFACE











 $\frac{\text{FRONTELEVATION}}{\text{SCALE}} = 1/4^{11} = 1'-0^{11}$



$\frac{\text{REAR ELEVATION}}{\text{SCALE}} = 1/4^{11} = 1'-0^{11}$














- 5/4" "AZEK" (OR EQUAL) FASCIA (MATCH EXISTING) PAINTED . 5/4" AZEK" (OR EQUAL) FRIEZE (MATCH EXISTING) - PAINTED — HORIZONTAL VINYL SIDING - CEDAR STYLE TO MATCH EXISTING COLOR, THICKNESS, EXPOSURE, ETC. - NEW FOLDING DOORS SHALL BE AS SELECTED BY OWNER (MATCH EXISTING) 5/4" "AZEK" (OR EQUAL) WINDOW/DOOR TRIM (MATCH EXISTING) - PAINTED
- STONE CAP MATCH EXISTING
- 411 BRICK VENEER MATCH EXISTING














GENERAL NOTES:

1. NORTH MERIDIAN AND OUTBOUND INFORMATION SHOWN HEREON FOR LOT 15 IN BLOCK 13 WAS TAKEN FROM A CERTAIN MAP ENTITLED: "SURVEY MAP OF PROPERTY KNOWN AS LOT 15 IN BLOCK 13, BOROUGH OF RUMSON, MONMOUTH COUNTY - NEW JERSEY," PREPARED BY YORKANIS & WHITE, INC. AND DATED APRIL 25, 2005, LAST REVISED TO MAY 11, 2005.

2. ONLY COPIES FROM THE ORIGINAL OF THIS MAP MARKED WITH AN ORIGINAL OF THE LAND SURVEYOR'S EMBOSSED SEAL SHALL BE CONSIDERED TO BE VALID COPIES.

3. UNAUTHORIZED ALTERATION OR ADDITION TO THIS MAP BEARING A LICENSED LAND SURVEYOR'S SEAL IS ILLEGAL AND PUNISHABLE BY LAW.

4. PROPERTY IS SUBJECT TO DOCUMENTS OF RECORD.

5. THIS SURVEY SHALL NOT BE UTILIZED OR INCLUDED AS DOCUMENTATION FOR THE PURPOSE OF EXECUTING AND/OR EXPEDITING A SURVEY AFFIDAVIT AND/OR AFFIDAVIT OF TITLE.

6. BY CONTRACTUAL ARRANGEMENT, THE VERTICAL DATUM OF THIS SURVEY IS ON AN ASSUMED BASE.

7. LOCAL SITE BENCHMARK IS THE "M" IN "MUELLER" ON A FIRE HYDRANT, HAVING AN ELEVATION OF 109.64.

8. UTILITIES SHOWN HEREON WERE DERIVED FROM MARKOUTS DONE BY THE PROPER UTILITY AUTHORITY AS OF THE DATE OF THIS FIELD SURVEY AND ARE SHOWN HEREON AS APPROXIMATE LOCATIONS TO BE UTILIZED FOR ESTIMATING PURPOSES ONLY. UNDERGROUND UTILITIES THAT HAD NOT BEEN MARKED WERE NOT LOCATED. UTILITIES SUCH AS STORM AND SANITARY SEWER INVERTS WERE DERIVED USING CONVENTIONAL SURVEYING METHODS TO OBSERVE THE INVERT. DUE TO THE CONFIGURATION OF THE DRAINAGE STRUCTURE AND THE GEOMETRY OF THE PIPE, THE OBSERVED INVERTS HAVE A TOLERANCE OF 0.1 FEET.

IF UTILITIES REFERENCED ARE TO BE USED FOR DESIGN PURPOSES AND ARE OF A CRITICAL NATURE, PRIOR TO CONSTRUCTION OR DESIGN, SAMPLE TEST PITS SHOULD BE MADE TO VERIFY THE EXACT LOCATION. PRIOR TO CONSTRUCTION, THE DESIGN PLAN OR THIS SURVEY SHALL BE FORWARDED TO THE APPROPRIATE UTILITY COMPANY FOR VERIFICATION OF UTILITIES.

9. BY CONTRACTUAL ARRANGEMENT, NO INVESTIGATION INTO THE FLOOD ELEVATION OR FLOOD MAPS HAS BEEN MADE.

10. THE SPREAD OF TREES, BUSHES, HEDGES, ETC. SHOWN ON THIS PLAN ARE FOR GRAPHIC PURPOSES ONLY AND DO NOT REPRÉSENT THE TRUE SPREAD OR DRIP LINE.

PROPERTY KNOWN AND DESIGNATED AS LOT 16 AS SHOWN ON A CERTAIN MAP ENTITLED: "MAP OF LANDS OF HARRY S. & MINNIE WILLEY, RIVER ROAD & BUENA VISTA AVENUE. RUMSON, N.J.", WHICH MAP WAS FILED IN THE MONMOUTH COUNTY CLERK'S OFFICE ON JUNE 19, 1951 AS CASE NO. 3, SHEET NO. 26.

SMH RIM 115.16 INV 100.81	\diamond	
	THIS SURVEY MAP IS CERTIFIED TO:	
	NADIA AND STEPHEN HARHEN	
	TOPOGRAPHICAL SURVEY MAP OF PROPERTY KNOWN $LOT 15 \ IN \ BLOCK \ 13$	AS
	BOROUGH OF RUMSON MONMOUTH COUNTY - NEW JERS	SEY
GRAPHIC SCALE		DWG. NO.: 05029WS CHKD: J.T.L.
1 inch = 20 ft.	JOHN T. LUTS 10/12/23 DATE OF SU PROFESSIONAL LAND SURVEYOR GS43220 DATE FILE NO.	9, 2023